



فصل البترول (3) OIL SEPARATION







HYDROTECHNIK ENVIRONMENTAL SERVICES ESTABLISHMENT UAE

Office 29, second Floor, Bahrain Bank Building, Hamdan Street, Abu Dhabi UAE
Office UAE // +971(0) 262 77170 phone // +971(0) 262 77753 fax
Office Germany // +49 (0)451 651 75 phone // +49 (0)451 623 744 fax





فصل البترول OIL SEPARATION

معدات حجز البترول OIL WEIR EQUIPMENT

A wide range of individual components make up the complete equipment of an oil weir. These can be assembled individually and we adapt them accordingly to meet special requirements on site. We supply oil weirs individually or as compete equipment for initial use.

معدات كاملة لحجز البترول. ويمكن تجميعها بشكل فردي ونقوم معدات كاملة لحجز البترول. ويمكن تجميعها بشكل فردي ونقوم بتهيأتها وفقا لذلك لتلبية الاحتياجات الخاصة في الموقع. ونقوم بتوريد حواجز البترول بشكل مستقل او كمعدات كاملة للاستخدام الاولى.



Oil weir trailer

equipped with 260 m of floating oil boom type 900 AP (Air Pillow, easy handling by reason of low own weight).



Oil weir trailer

flexibly and quickly on accident location





HYDROTECHNIK ENVIRONMENTAL SERVICES ESTABLISHMENT UAE

Office 29, second Floor, Bahrain Bank Building, Hamdan Street, Abu Dhabi UAE Office UAE // +971(0) 262 77170 phone // +971(0) 262 77753 fax Office Germany // +49 (0)451 651 75 phone // +49 (0)451 623 744 fax



فصل البترول OIL SEPARATION

معدات حجز البترول OIL WEIR EQUIPMENT



Oil weir container

for stationary stay in the vulnerable zone, equipped with winch for a floating oil boom 350-200-150



Floating storage tank

Capacity 10 m³



Self-Stand-Up storage tank

for rapid temporary storage of skimmed off oil residues



Special aluminum boat

Specially made for the oil spill-use, equipped with appropriate oil spill technology



Oil booms accessories

for positioning and fixing a floating oil boom



فصل البترول OIL SEPARATION

OIL SKIMMER

الضخ منه.

The collection capacity of an oil barrier may be swiftly exhausted. It is therefore very important to ensure measures for removing the oil collected from the water surface during an oil barrier operation.

Oil skimmers are used for such purposes. Two types of equipment are available: weir skimmers and adhesion skimmers.

The weir skimmer functions in accordance with the 'hole in the water' principle. Oil flows over a weir edge located just beneath the water surface into a tank, from which it is pumped out.

The adhesion skimmers consist of a surface made up by means of moving oil, to which the oil sticks and can subsequently be skimmed off via a collection tank.

ويمكن استنفاذ القدرة على الجمع من حاجز البترول بسرعة. ولذا فإنه من المهم جدا ضمان اتخاذ التدابير اللازمة لإزالة البترول الذى تم جمعه من سطح الماء خلال عملية حجز البترول. وتستخدم مصفاة البترول لمثل هذه الاغراض. وهناك نوعان متاحان من المعدات: مصفاة حجز ومصفاة جذب. وتعمل مصفاة الحجز وفقاً لمبدأ "فتحة في الماء". ويتدفق البترول حتى حافة الحاجز الموجود تحت سطح المياه في خزان والتي يتم

وتتكون مصفاة الجذب من سطح يتكون من بترول متحرك حيث يلتصق البترول بها وبالتالى يمكن تصفيته من خلال خزان الجمع.



Skimmer General Equipment

for independent use. Consisting of:

- Skimmer
- Electric Power Pack
- Generator to produce electricity


Also suitable for use on the water with the help of a boat. See more on **3A Oil weir equipment/special aluminium boat** or **industrial plant protection** on http://www.hydrotechnik-luebeck.de/en/movie-page

Office 29, second Floor, Bahrain Bank Building, Hamdan Street, Abu Dhabi UAE Office UAE // +971(0) 262 77170 phone // +971(0) 262 77753 fax Office Germany // +49 (0)451 651 75 phone // +49 (0)451 623 744 fax



فصل البترول 3 OIL SEPARATION

OIL SKIMMER



Tape Skimmer



Trough Skimmer MAXI 3



Trough Skimmer MAXI 4



Disc Skimmer



Drum Skimmer



